



EST. 2012

If you could do it all over again, would you? Bryson Martin Sr. (DVO founder) did. History may know him as the man behind all the great products and innovations at Marzocchi Suspension for over 25 years. After a great ride, it was time to start fresh.

In 2012 DVO Suspension was born. A rider propelled company driven by the passion for high performance suspension. We are proud to say we have an amazing crew here that genuinely care for the brand. That same care goes straight to the riders that utilize every product we make. When you ride DVO, you're in the family and we will always treat you that way.

2023 DVO SUSPENSION PRODUCT LINE

CHAMPIONSHIP PROVEN.





2020 E-MTB WORLD CHAMPION


2021 EWS CHAMPION


2021 OVERALL E-XC MTB WORLD CUP





THE MOST TITLES WON OF ALL SUSPENSION BRANDS IN EWS.







Harim Amour
EWS MENS MASTERS CHAMPION

Melanie Tugin
EWS CHAMPION

Zeonie Tielon
EWS WOMENS MASTERS CHAMPION



FORK SERIES OVERVIEW

D1 - E1

D1 series is our top level lineup of suspension products. E1 series is a mirroring lineup designed for

EXTERNAL ADJUSTMENTS

High Speed Compression	✓
Low Speed Compression	✓
Low Speed Rebound	✓
Air Volume Adjust	✓
Negative Spring Adjust	✓
Air Pressure Adjust	✓

FEATURES

Our new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel. This is an option on all D1/E1 models.



Our industry exclusive OTT feature really sets DVO product apart from anything else. An externally adjustable coil negative spring allows riders to set their desired small bump sensitivity with no compromise to mid or end stroke



20% E-Bike models get 20% more bushing overlap for increased durability and MORE overlap for increases better handling. Hell yes!

D2 - E2

D2 series offers all the buttery-smooth suspension characteristics in a condensed feature package. The E2 series is a mirroring lineup designed for E-bikes.

EXTERNAL ADJUSTMENTS

High Speed Compression	×
Low Speed Compression	✓
Low Speed Rebound	✓
Air Volume Adjust	✓
Negative Spring Adjust	✓
Air Pressure Adjust	✓

FEATURES

SUPER Our new SL "Super Light" drops weight and provides a snappy feel with an air negative system.



Our proven D2 damper and compression bladder for absolute control and performance.

20% E-Bike models get 20% more bushing overlap for increased durability and better handling. Hell yes!

D3 - E3

D3 series is our "I want that DVO performance, feel, and look but don't need all the bells and whistles". The E3 series is a mirroring lineup designed for E-bikes.

EXTERNAL ADJUSTMENTS

High Speed Compression	×
Low Speed Compression	✓
Low Speed Rebound	✓
Air Volume Adjust	✓
Negative Spring Adjust	×
Air Pressure Adjust	✓

FEATURES



Our new ECO Air system is a light weight, easy to setup system that gets the job done.



The all new D3 damper offers comfort, control, adjustability, and reliability. All boxes checked!



20% E-Bike models get 20% more bushing MORE overlap for increased durability and better handling. Hell yes!





ONYX 38 D1

ALL NEW 38MM CHASSIS.

Featuring an all new design aesthetic with all the modern features riders demand.

- 38mm Upper Tubes
- Dual Hollow Forged Crown
- 15x110mm Boost Stepped Floating Axle
- All new air release valves
- Single-sided dropout pinch-bolt
- Increased Bushing Overlap


CHOOSE YOUR AIR SPRING- OTT or SL.



SUPEROur new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel.



Our industry exclusive OTT feature really sets DVO product apart from anything else. An externally adjustable coil negative spring allows riders to set their desired small bump sensitivity with no compromise to mid or end stroke support.









Integrated Fender Optional

Wheel Size

29

· Low Speed Compression **Adjustments** · Low Speed Rebound

Volume Spacer Adjust

Travel 160-180mm

Offset 44mm

Stanchion 38mm

Axle to Crown

At Max Travel

Brake Mount

200mm Direct

597mm

Crown OD

62mm Standard 70mm E-Crown

Color

· RENDERED IMAGE SHOWN. SPECS / AESTHETICS MAY CHANGE

Black Green

FEATURES



- S SUPER Our new SL "Super Light" drops weight and provides a snappy feel with an air negative system.



Our proven D2 damper and compression bladder for absolute control and performance.









Our new ECO Air system is a light weight, easy to setup system that gets the job done.



The all new D3 damper offers comfort, control, adjustability, and reliability. All boxes checked!



Integrated Fender Optional

Wheel Size

29

· Low Speed Compression **Adjustments**

· Low Speed Rebound

· Volume Spacer Adjust

Travel 160-180mm

Offset 44mm

Stanchion 38mm

Axle to Crown

At Max Travel

597mm

Brake Mount

200mm Direct

Crown OD

62mm Standard 70mm E-Crown

Color

Black

Green

BIGGER AND BETTER.

- The new Diamond gets upgraded to a 36mm chassis.
- An all new crown with increased drop. That means more frame clearance!

CHOOSE YOUR AIR SPRING- OTT or SL.




SUPER Our new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel.



Our industry exclusive OTT feature really sets DVO product apart from anything else. An externally adjustable coil negative spring allows riders to set their desired small bump sensitivity with no compromise to mid or end stroke support.





Wheel Size

29

Product Availability: TBD

Adjustments

·High/Low Compression •OTT Negative Spring

Travel

140-160mm

Offset

44mm

Stanchion

Axle to Crown

572mm

180mm Direct

DIAMOND 36 D2





Wheel Size

29

Adjustments

- · Low Speed Compression · Low Speed Rebound
- · Volume Spacer Adjust

Travel

140-160mm

Offset

44mm

Stanchion

36mm

Axle to Crown At Max Travel 572mm

Brake Mount

180mm Direct

Color

Black Green

FEATURES



- S SUPER Our new SL "Super Light" drops weight and provides a snappy feel with an air negative system.



Our proven D2 damper and compression bladder for absolute control and performance.

D3 **DIAMOND** 36





Wheel Size

29

Adjustments

- · Volume Spacer Adjust

Travel

140-160mm

Offset

44mm

Stanchion

36mm

572mm

Axle to Crown At Max Travel

Brake Mount 180mm Direct

Color

Black Green

FEATURES



Our new ECO Air system is a light weight, easy to setup system that gets the job done.



The all new D3 damper offers comfort, control, adjustability, and reliability. All boxes checked!

Product Availability: TBD

WHAT'S NEW?

• The new Sapphire gets upgraded to a 35mm chassis.

SAPPHIRE 35 D1

- An all new SL air spring that reduces weight for a snappy feel.
- D1 Damper with adjustable high/low speed compression, and low speed rebound.
- Positive Volume Reducers for a tuned up end-stroke.

SUPER Our new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel.



Integrated Fender Optional

Wheel Size

29

Adjustments

Travel

120-140

Offset

44mm

Stanchion

35mm

Axle to Crown At Max Travel

552mm

Brake Mount

160mm Direct



D2 **SAPPHIRE** 35



FEATURES



- S SUPER Our new SL "Super Light" drops weight and provides a snappy feel with an air negative system.



Our proven D2 damper and compression bladder for absolute control and performance.







Wheel Size

29

Adjustments

- Low Speed Compression
- · Low Speed Rebound · Volume Spacer Adjust

Travel

120-140

Offset

44mm

Stanchion

35mm

552mm

Axle to Crown

At Max Travel

Brake Mount

160mm Direct

Color

Black Green



Our new ECO Air system is a light weight, easy to setup system that gets the job done.



The all new D3 damper offers comfort, control, adjustability, and reliability. All boxes checked!

FEATURES





Wheel Size

·High/Low Compression ·Low Speed Rebound ·AVA Volume Progression ·OTT Negative Spring

Travel

Adjustments

180-203mm

Offset

Stanchion

Axle to Crown At Max Travel

Brake Mount

Axle

Color

597mm 585mm

203mm Direct 20mm Boost Spacing

Black

WHAT'S NEW?



All new stanchion tube design with our Sugar Coating reduce stiction by 40% over previous generation forks. They're sweet.



Our industry exclusive OTT feature really sets DVO product apart from anything else. It allows you to perfectly fine tune how the initial stroke feels without any mid/end stoke compromise. You really do get the best of both worlds.



AVA, or "Advanced Volume Adjust", allows you to tune the end stroke progression by using

EXTERNAL ADJUSTMENTS HIGH SPEED LOW SPEED COMPRESSION COMPRESSION **DAMPER**

VOLUME SPACER NEGATIVE SPRING PROGRESSION ADJUST AIR SIDE

LOW SPEED REBOUND AIR PRESSURE ADJUST

FOR RIDERS BY RIDERS **2024 DVO SUSPENSION** PRODUCT LINE



ONYX 38 E1

ALL NEW 38MM CHASSIS.

Featuring an all new design aesthetic with all the modern features riders demand.

- 38mm Upper Tubes
- Dual Hollow Forged Crown
- 15x110mm Boost Stepped Floating Axle
- All new air release valves
- Single-sided dropout pinch-bolt
- 20% More Bushing Overlap

CHOOSE YOUR AIR SPRING- OTT or SL.



SUPEROur new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel.



Our industry exclusive OTT feature really sets DVO product apart from anything else. An externally adjustable coil negative spring allows riders to set their desired small bump sensitivity with no compromise to mid or end stroke support.





Wheel Size

Product Availability: TBD

29

· High Speed Compress

Adjustments

Volume Spacer Adjust ·OTT Negative Spring Adjust

Travel

160-180mm

Offset

44mm

Stanchion

Axle to Crown

597mm

Brake Mount

At Max Travel


200mm Direct

Crown OD

62mm Standard 70mm E-Crown

Black Green





• RENDERED IMAGE SHOWN. SPECS / AESTHETICS MAY CHANGE

Travel

Offset

Product Availability: TBD

Wheel Size

29

·High/Low Compression

Volume Progression •OTT Negative Spring

140-160mm

44mm

572mm

180mm Direct

Black

BIGGER AND BETTER.

- The new diamond gets upgraded to a 36mm chassis.
- An all new crown with increased drop. That means more frame clearance!
- 20% More bushing overlap for increased durability and better handling. Hell yeah!


CHOOSE YOUR AIR SPRING- OTT or SL.



SUPER Our new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel.



Our industry exclusive OTT feature really sets DVO product apart from anything else. An externally adjustable coil negative spring allows riders to set their desired small bump sensitivity with no compromise to mid or end stroke support.



2024 DVO SUSPENSION PRODUCT LINE

DIAMOND 36





Wheel Size

29

Adjustments

- · Low Speed Compression · Low Speed Rebound
- · Volume Spacer Adjust

Travel

140-160mm

Offset

44mm

Stanchion

36mm

Axle to Crown At Max Travel

572mm

Brake Mount

180mm Direct

Color

Black

Green

FEATURES



- S SUPER Our new SL "Super Light" drops weight and provides a snappy feel with an air negative system.



Our proven D2 damper and compression bladder for absolute control and performance. MORE

E-Bike models get 20% more bushing overlap for increased durability and better handling. Hell yes!

3 **DIAMOND** 36





Wheel Size

29

Adjustments

Travel

140-160mm

Offset

44mm

Stanchion

36mm

Axle to Crown At Max Travel

572mm

Brake Mount

180mm Direct

Black

Color

FEATURES



Our new ECO Air system is a light weight, easy to setup system that gets the job done.



The all new D3 damper offers comfort, control, adjustability, and reliability. All boxes checked!

E-Bike models get 20% more bushing overlap for increased durability and better handling. Hell yes!

SAPPHIRE 35 E1

WHAT'S NEW?

- The new Sapphire gets upgraded to a 35mm chassis.
- 20% More bushing overlap for increased durability and better handling. Hell yeah!
- An all new SL that reduces weight for a snappy feel.
- D1 Damper with adjustable high/low speed compression, and low speed rebound.
- Positive Volume Reducers for a tuned up end-stroke.

SUPER Our new SL "Super Light" drops weight with an air negative system that provides a responsive & snappy feel.



Wheel Size 29

Travel

120-140

Offset

44mm

Stanchion

35mm

Axle to Crown At Max Travel

552mm

Brake Mount

160mm Direct

Product Availability: TBD



2024 DVO SUSPENSION PRODUCT LINE

SAPPHIRE





Wheel Size

29

Adjustments

- · Low Speed Compression · Low Speed Rebound
- · Volume Spacer Adjust

Travel

120-140

Offset

44mm

Stanchion

35mm

Axle to Crown

552mm

Brake Mount

Color

160mm Direct

Black

Green

FEATURES



Our new SL "Super Light" drops weight and provides a snappy feel with an air negative system.



Our proven D2 damper and compression bladder for absolute control and performance. MORE

E-Bike models get 20% more bushing overlap for increased durability and better handling. Hell yes!

3 35 SAPPHIRE





Wheel Size

29

Adjustments

- Low Speed Compression
- · Low Speed Rebound · Volume Spacer Adjust

Travel

120-140

Offset

44mm

Stanchion

35mm

552mm

Axle to Crown

At Max Travel

Brake Mount

160mm Direct

Color

Black Green

FEATURES



Our new ECO Air system is a light weight, easy to setup system that gets the job done.



The all new D3 damper offers comfort, control, adjustability, and reliability. All boxes checked!

E-Bike models get 20% more bushing overlap for increased durability and better handling. Hell yes!



SHOCKS SERIES OVERVIEW

D1 - E1

D1 series is our top level lineup of suspension products. E1 series is a mirroring lineup designed

EXTERNAL

ADJUSTMENTS

High Speed Compression Low Speed Compression Low Speed Rebound

Bladder Pressure Adjust

Compression Switch

Air Volume Adjust (Air Shocks)

Spring Preload (Coil Shocks)

D2 - E2

D2 series offers all the buttery-smooth suspension characteristics in a condensed feature package. The E2 series is a mirroring lineup designed for F-bikes

EXTERNAL

ADJUSTMENTS



High Speed Compression Low Speed Compression

Low Speed Rebound

Bladder Pressure Adjust

Compression Switch

Air Volume Adjust (Air Shocks)

Spring Preload (Coil Shocks)

D3 - E3

D3 series is our "I want that DVO performance, feel, and look but don't need all the bells and whistles". The E3 series is a mirroring lineup designed for E-bikes.

EXTERNAL

ADJUSTMENTS



Compression Switch

Air Volume Adjust (Air Shocks)

Spring Preload (Coil Shocks)

FEATURES

An all new piston and shim stack that provides **HOVER** unreal sensitivity and control. A unique rebound profile provides stability and eliminates packing all together.



A new external high and low speed compression adjuster makes its way on the Ultra and Pro series shocks. Combine this with the quick range T3 compression and you have a crazy amount of adjustment



Our T3 compression switch makes it easy to go from full open DH feel to a near lock out for climbing. A middle setting finds the balance for added support.



The all new E-Switch is specifically designed for E-bikes and DH bikes. It's a 3 position quick range compression tuned for quick access to a firmer setting. Great for ripping up dirt roads, smooth single track, and flow trails.



A bladder replaces the typical IFP in the reservoir that separates the air from the oil. This provides unmatched small bump sensitivity and is externally



Heat sinks on the reservoir expels heat quickly to keep the damping consistent throughout the ride.



Volume band tuning in the positive and negative chambers quickly adapt the shock to the rider or linkage design.



A constant theme of our new shocks is strength. Modern bikes and the level of riders are demanding more from their equipment. Our new shocks are crazy strong!















·Spring Preload

Damper

Jade X Damper HoverTune

Metric Sizes

210x50/55 230x60/65

Trunnion Sizes

185x50/55 205x60/65

ProRate LS Upgrade

Available

JADE X_D1

SUGGESTED APPLICATION: AGGRESSIVE TRAIL | ENDURO

WHAT'S NEW WITH THE JADE X D1?

PERFECTLY ADAPTED TO MODERN **ENDURO AND TRAIL BIKES.**

The most versatile shock on the market, and we mean it.

- T3 Compression for Wide Open DH and Near Lockout for grueling climbs.
- All new external High and Low Speed compression adjust.
- All new HoverTune makes the shock disappear in the roughest of riding.
- New rebound profile eliminates packing by speeding up the mid-stroke.
- Bladder system in the reservoir gives unmatched small bump compliance at all speeds. And it's adjustable!

INCREASED FRAME CLEARANCE.

Our new reservoir layout allows for that extra needed frame clearance for batteries or bottles.

• Overbuilt to be the most durable air shock on the market. An all new eyelet and shaft design ensures durability in any situation.















Damper

Jade X Damper HoverTune

Metric Sizes

210x50/55 230x60/65

Trunnion Sizes

185x50/55 205x60/65

ProRate LS Upgrade

JADE X_D2

SUGGESTED APPLICATION: AGGRESSIVE TRAIL | ENDURO



JADE X_D3

SUGGESTED APPLICATION: AGGRESSIVE TRAIL | ENDURO

2024 DVO SUSPENSION PRODUCT LINE

FOR RIDERS BY RIDERS

HOVER TUNE

Jade X Damper

HoverTune

210x50/55

230x60/65

250x70/75

185x50/55

205x60/65

225x70/75

















Damper

Topaz Damper HoverTune

Metric Sizes

190x40/45 210x50/55 230x60/65

Trunnion Sizes

165x40/45 185x50/55 205x60/65

TOPAZ_D1

SUGGESTED APPLICATION: TRAIL | ENDURO

WHAT'S NEW WITH THE TOPAZ D1?

LEADING THE FIELD IN FEATURES AND DURABILITY.

When it comes to the new Topaz, holding back wasn't in the spec list.

- T3 Compression for Wide Open DH and Near Lockout for grueling climbs.
- All new external High and Low Speed compression adjust.
- Positive and Negative Air Volume Adjust give you complete control of the air spring.
- All new HoverTune makes the shock disappear in the roughest of riding.
- Bladder system in the reservoir gives unmatched small bump compliance at all speeds. And it's adjustable!

INCREASED FRAME CLEARANCE.

Our new reservoir layout allows for that extra needed frame clearance for batteries or bottles.

• We redesigned the shock to be insanely durable. Oversized inner shaft and extra bushings make this one tough shock.













Damper

Metric Sizes

Trunnion Sizes



Topaz Damper

HoverTune

190x40/45

210x50/55

230x60/65

165x40/45

185x50/55

205x60/65











Adjustments

Damper

Topaz Damper HoverTune

190x40/45

210x50/55

230x60/65

205x60/65

Metric Sizes

165x40/45 185x50/55

TOPAZ_D2

SUGGESTED APPLICATION: TRAIL | ENDURO

TOPAZ_D3

INTENDED USE: TRAIL | ENDURO

HOVER TUNE









T3 Compression

Low Speed Reboun

Air Volume Adjust

Damper

Topaz Damper HoverTune

Metric Sizes

190x40/45 210x50/55 230x60/65

Trunnion Sizes

165x40/45

185x50/55 205x60/65

OPAL_D1

INTENDED USE: XC | TRAIL

WHAT'S NEW WITH THE OPAL D1?

THE TOUGHEST INLINE ON THE MARKET.

You might have guessed the theme of our new shocks, they're damn tough. The new Opal Inline is no exception.

- Overbuilt for the demands of modern e-bikes, enduro bikes, and trail bikes, we included our oversized 12.7mm inner shaft to handle big hits and heavy loads.
- Our new E-Switch is tuned as a quick range low speed compression. Instant access to a firmer setting for ripping up dirt roads, smooth single track, or flow trails.
- All new external High and Low Speed compression adjust.
- •Positive and Negative Air Volume Adjust give you complete control of the air spring.
- All new HoverTune makes the shock disappear in the roughest of riding.



HOVER TUNE







Adjustments

Low Speed Reboun

Air Volume Adjust

Damper

Metric Sizes

Trunnion Sizes

165x40/45 185x50/55 205x60/65

Topaz Damper
HoverTune

190x40/45
210x50/55
230x60/65

OPAL_D3

SUGGESTED APPLICATION: XC | TRAIL

















∙E Switch
•Low Speed Reboun
•Bladder Adjust
•Spring Preload

er

Jade X Damper HoverTune

210x50/55 230x60/65 250x70/75

185x50/55 205x60/65

225x70/75

ade Available

Damper

Metric Sizes

Trunnion Sizes

ProRate LS Upgrade

JADE X_E1•DH

SUGGESTED APPLICATION:

AGGRESSIVE E-TRAIL | E-ENDURO | DH

■ WHAT'S NEW WITH THE JADE X E1•DH?

ADAPTED TO E-BIKES AND DH.

Tuned to the demands of modern E riders and DH machines.

- Our new E-Switch is tuned as a quick range low speed compression. Instant access to a firmer setting for ripping up dirt roads, smooth single track, or flow trails.
- All new external High and Low Speed compression adjust.
- All new HoverTune makes the shock disappear in the roughest of riding.
- New rebound profile eliminates packing by speeding up the mid-stroke.
- Bladder system in the reservoir gives unmatched small bump compliance at all speeds. And it's adjustable!

INCREASED FRAME CLEARANCE AND E-BIKE TOUGH.

Our new reservoir layout allows for that extra needed frame clearance for batteries or bottles.

• Overbuilt to be the most durable air shock on the market. An all new eyelet and shaft design ensures durability in any situation.

















Damper

Jade X Damper HoverTune

Metric Sizes

210x50/55 230x60/65

Trunnion Sizes

205x60/65

ProRate LS Upgrade

185x50/55

JADE X_E2

SUGGESTED APPLICATION:

AGGRESSIVE E-TRAIL | E-ENDURO



JADE X_E3

SUGGESTED APPLICATION:

AGGRESSIVE E-TRAIL | E-ENDURO | DH

2024 DVO SUSPENSION PRODUCT LINE

Jade X Damper

HoverTune

210x50/55

230x60/65

250x70/75

185x50/55

205x60/65

225x70/75

















•E Switch
•Low Speed Rebound
•Bladder Adjust
•Air Volume Adjust

Damper

Topaz Damper HoverTune

Metric Sizes

190x40/45 210x50/55 230x60/65

Trunnion Sizes

165x40/45 185x50/55 205x60/65

TOPAZ_E1

SUGGESTED APPLICATION: E-TRAIL | E-ENDURO

WHAT'S NEW WITH THE TOPAZ E1?

SPECIFICALLY FOR E-BIKES.

When it comes to the new Topaz, holding back wasn't in the spec list.

- Our new E-Switch is tuned as a quick range low speed compression. Instant access to a firmer setting for ripping up dirt roads, smooth single track, or flow trails.
- All new external High and Low Speed compression adjust.
- •Positive and Negative Air Volume Adjust give you complete control of the air spring.
- All new HoverTune makes the shock disappear in the roughest of riding.
- Bladder system in the reservoir gives unmatched small bump compliance at all speeds. And it's adjustable!

INCREASED FRAME CLEARANCE AND E-BIKE TOUGH.

Our new reservoir layout allows for that extra needed frame clearance for batteries or bottles.

• Just like the Topaz X series, we redesigned the shock to be insanely durable. Oversized inner shaft and extra bushings make this one tough shock.













Damper

Metric Sizes

Trunnion Sizes



Topaz Damper

HoverTune

190x40/45

210x50/55

230x60/65

165x40/45

185x50/55

205x60/65











Adjustments

Damper

Topaz Damper HoverTune

190x40/45

210x50/55

Metric Sizes

230x60/65

165x40/45 185x50/55 205x60/65



TOPAZ_E2

SUGGESTED APPLICATION:

E-TRAIL | E-ENDURO

TOPAZ_E3

SUGGESTED APPLICATION:

E-TRAIL | E-ENDURO











Damper

Topaz Damper HoverTune

Metric Sizes

190x40/45 210x50/55 230x60/65

Trunnion Sizes

165x40/45

185x50/55 205x60/65

OPAL_E1

INTENDED USE: E-TRAIL | E-ENDURO

WHAT'S NEW WITH THE OPAL E1?

THE TOUGHEST INLINE ON THE MARKET.

You might have guessed the theme of our new shocks, they're damn tough. The new Opal Inline is no exception.

- Overbuilt for the demands of modern e-bikes, enduro bikes, and trail bikes, we included our oversized 12.7mm inner shaft to handle big hits and heavy loads.
- Our new E-Switch is tuned as a quick range low speed compression. Instant access to a firmer setting for ripping up dirt roads, smooth single track, or flow trails.
- All new external High and Low Speed compression adjust.
- •Positive and Negative Air Volume Adjust give you complete control of the air spring.
- All new HoverTune makes the shock disappear in the roughest of riding.



HOVER Tune







Adjustment

·Low Speed Reboun
·Air Volume Adjust

Damper

Topaz Damper HoverTune

Metric Sizes

190x40/45 210x50/55 230x60/65

Trunnion Sizes

165x40/45 185x50/55 205x60/65



OPAL_E3

SUGGESTED APPLICATION: XC | TRAIL | E-BIKE



PRODUCT PAIRING

FORKS SHOCKS **Adjustments/Features Models Adjustments** Models **Series Series** T3 CLIMB SWITCH | OPAL=T3 HIGH/LOW COMPRESSION D1 **D1** ONYX DC **ONYX 38 DIAMOND 36 SAPPHIRE 35** LOW REBOUND HIGH/LOW COMPRESSION TOPAZ X D1 **TOPAZ D1** JADE X D1 OPAL D1 **VOLUME ADJUST D1** D1 **D1 D1** LOW REBOUND OTT OR SL AIR SYSTEM **VOLUME ADJUST** LOW COMPRESSION T3 CLIMB SWITCH LOW REBOUND **ONYX 38 DIAMOND 36 SAPPHIRE 35 D2 D2 TOPAZ D2** JADE X D2 TOPAZ X D2 LOW REBOUND **VOLUME ADJUST** D2 D2 D2 **VOLUME ADJUST** SL AIR SYSTEM LOW COMPRESSION **ONYX 38 DIAMOND 36 SAPPHIRE 35** LOW REBOUND D3 D3 LOW REBOUND TOPAZ D3 **JADE X D3** OPAL D3 **D3 D3 VOLUME ADJUST VOLUME ADJUST** ECO-AIR SYSTEM HIGH/LOW COMPRESSION E Switch (3 Position) **E1 E1** LOW REBOUND **ONYX 38 DIAMOND 36 SAPPHIRE 35** HIGH/LOW COMPRESSION TOPAZ X E1.DH **TOPAZ E1** JADE X E1.DH OPAL E1 **VOLUME ADJUST** E1 E1 **E**1 LOW REBOUND OTT OR SL AIR SYSTEM **VOLUME ADJUST** LOW COMPRESSION E Switch (3 Position) LOW REBOUND **ONYX 38 DIAMOND 36 SAPPHIRE 35 E2 E2** LOW REBOUND TOPAZ X E2·DH **TOPAZ E2** JADE X E2•DH **VOLUME ADJUST E2 E2 E2 VOLUME ADJUST** SL AIR SYSTEM LOW COMPRESSION **ONYX 38 DIAMOND 36 SAPPHIRE 35** LOW REBOUND **E3 E3** LOW REBOUND **TOPAZ E3 JADE X E3 OPAL E3 E3 E3 VOLUME ADJUST E3 VOLUME ADJUST ECO-AIR SYSTEM**

MTB SUSPENSION SERIES































